



Maryland Department of Transportation
Office of Procurement
CATS+ TORFP J05B3400032
MTA – Security Systems Hardware and Software Maintenance Contract
Addendum #2

March 2, 2015

This Addendum is being issued to answer questions submitted by Master Contractors for the above named TORFP and as an additional attachment, updated Attachment 26. All information contained herein is binding on all offerors who respond to this TORFP.

Answer to Questions

Question 1: Is there an incumbent?

Answer 1: The incumbent is Skyline Technologies

Question 2: Would the MTA consider removing the MBE Goals for the TORFP?

Answer 2: No. The established MBE Goals will remain.

Question 3: Would the MTA consider reducing the MBE Sub Goals?

The concern is that the sub- goals will greatly reduce the amount of time the Prime Contractor will be performing the actual work. There is also a security concern by adding additional workforce due to the Sub- Goals into the MTA environment.

Answer 3: No. The established MBE Goals will not change.

Question 4: It appears that there is equipment missing from the Attachment 26 list. Please confirm that this equipment will be identified and provided in an upcoming Addendum.

Answer 4; A revised Attachment 26 will be provided in its entirety via addendum.

Question5: Section 2.6.1.10- Parts Inventory list Garretcom Switches to be part of Inventory. Please confirm that Garretcom switches will be identified and provided in an upcoming Addendum.

Answer 5: A revised Attachment 26 will be provided in its entirety via addendum. The Garretcom switches will be provided to the winning proposer after NTP. (see attached revised Attachment 26)

Question 6: Would the MTA consider purchasing the Aralia Systems Software from the DOIT-COTS Master Contracts?

Answer 6: No

Question 7: Is the MTA's plan to bring any Legacy Equipment into this contract? If so, will this be handled on a Time and Material basis? Is there a list available for this Equipment?



Maryland Department of Transportation
Office of Procurement
CATS+ TORFP J05B3400032
MTA – Security Systems Hardware and Software Maintenance Contract
Addendum #2

March 2, 2015

Answer 7: Legacy equipment that needs to be added will be handled by Time and Material. Any work that needs to be added for the duration of the contract will be added through the standard change order process.

* - See additional attachment, Updated Attachment 26

End of Addendum #2



ATTACHMENT -26- PAGE-1					
MODE	HSSP Cameras (mixed PTZ and Fixed type)	Access Control CCTV Cameras (mixed PTZ and Fixed type)	HSSP Servers (AR16000, AR32000, 16000R3)	Access Control Servers (AR16000, AR32000)	Aralia Software License and Engineering Support
METRO					
Johns Hopkins	39	32	2	1	3
Shot Tower	31	24	2	1	3
Charles Center	37	26	2	2	4
Lexington Market	39		2		2
State Center	32	13	2	1	3
Upton	24	0	2		2
Penn North	33	29	2	1	3
Mondawmin	31	22	2	1	4
Portal	15				1
West Cold Spring	38	10	2	1	3
Rogers Avenue	36	11	2	1	3
Reisterstown Plaza	42	9	2	1	3
Milford Mills	29	12	2	1	3
Old Court	25	10	2	1	3
Owings Mills	31	11	2	1	3
Line Vent Shafts & Pumping stations					
Ocala St Line Vent		3			
Ruskin Ave. Line Vent		3		1	1
Golds Street Pumping station		2			
Lafayette St Line Vent		2			
Monument St Line vent Shaft		2			
Central Ave Line Vent		3			
Ashland AvE Lint Vent		6			
LIGHT-RAIL					
Hunt Valley	11		2		2
Timonium	16		1		1
Convention Center Station	24		2		2
Camden Yards	9		2		1
Hamburg St.	16		1		1
Patapsco	28		2		2
Nursery Road	16		1		1
Linthicum	15		1		1
Cromwell	15		1		1
North Ave.	18		1	1	2
Cultural Center	18	0	2		2
MARC					
CAMDEN-LINE					
Camden Yards	27		3		2
Rockville	23	0	2		2
Odenton	45	0	4		4
AMTRAK					
BWI Airport	60	0	2		2
New Carrollton	27	0	2		2
MTA Properties					
Bush Bus Yard-(Washington Blvd)	28	102	2	4	6
Eastern Bus Yard	0	24		1	1
Kirk Bus Yard	0	16		1	1
North West Bus Yard	0	41		2	2
North Avenue Light Rail	8	21	1	1	2
Cromwell Light Rail Yard	0	34		2	2
Wabash Yard	25	4	2	1	3
PMF	39			2	4
OCCMF				n/a	
OCC		4		1	
Treasury Vaulting				n/a	
McDonough Road		6		1	1
TOTAL	923	482	62	31	94

ATTACHMENT -26- PAGE-2							
MODE	PMF ONSSI Cameras	PMF-ONSSI Server	PMF ONSSI Consoles	PMF-Smat boards	Mobile camera (Torch)	PMF Dell- WorkStations/PCs(Precision-T550)	PMF Consoles (Evans)
METRO							
Johns Hopkins							
Shot Tower							
Charles Center							
Lexington Market							
State Center							
Upton							
Penn North							
Mondawmin							
Portal							
West Cold Spring							
Rogers Avenue							
Reisterstown Plaza							
Milford Mills							
Old Court							
Owings Mills							
Line Vent Shafts & Pumping stations							
Ocala St Line Vent							
Ruskin Ave. Line Vent							
Golds Street Pumping station							
Lafayette St Line Vent							
Monument St Line vent Shaft							
Central Ave Line Vent							
Ashland AvE Line Vent							
LIGHT-RAIL							
Hunt Valley							
Timonium							
Convention Center Station							
Camden Yards							
Hamburg St.							
Patapsco							
Nursery Road							
Linthicum							
Cromwell							
North Ave.							
Cultural Center							
MARC							
CAMDEN-LINE							
Camden Yards							
Rockville							
Odenton							
AMTRAK							
BWI Airport							
New Carrollton							
MTA Properties							
Bush Bus Yard-(Washington Blvd)							
Eastern Bus Yard							
Kirk Bus Yard							
North West Bus Yard							
North Avenue Light Rail							
Cromwell Light Rail Yard							
Wabash Yard							
PMF	11	2	2	2	4	11	11
OCMF							
OCC							
Treasury							
Vaulting							
McDonough Road							
TOTAL	11	2	2	2	4	11	11

ATTACHMENT -26- PAGE-3							
MODE	PMF-Console Monitors(Dell/ Sony/Samsung)	PMF-Flat Screens (NEC)	PMF- SMART Boards	PMF Director Workstation	SKY-TS1000-	SKY_ DV1000	SKY- SFS1000
METRO							
Johns Hopkins							
Shot Tower							
Charles Center							
Lexington Market							
State Center							
Upton							
Penn North							
Mondawmin							
Portal							
West Cold Spring							
Rogers Avenue							
Reisterstown Plaza							
Milford Mills							
Old Court							
Owings Mills							
Line Vent Shafts & Pumping stations							
Ocala St Line Vent							
Ruskin Ave. Line Vent							
Golds Street Pumping station							
Lafayette St Line Vent							
Monument St Line vent Shaft							
Central Ave Line Vent							
Ashland AvE Lint Vent							
LIGHT-RAIL							
Hunt Valley							
Timonium							
Convention Center Station							
Camden Yards							
Hamburg St.							
Patapsco							
Nursery Road							
Linthicum							
Cromwell							
North Ave.							
Cultural Center							
MARC							
CAMDEN-LINE							
Camden Yards							
Rockville							
Odenton							
AMTRAK							
BWI Airport							
New Carrollton							
MTA Properties							
Bush Bus Yard-(Washignton Blvd)							
Eastern Bus Yard							
Kirk Bus Yard							
North West Bus Yard							
North Avenue Light Rail							
Cromwell Light Rail Yard							
Wabash Yard							
PMF	42	17	2	1	3	1	2
OCMF							
OCC							
Treasury							
Vaulting							
McDonough Road							
TOTAL	42	17	2	1	3	1	2

ATTACHMENT -26- PAGE-4									
MODE	March Networks Workstation	AMX Touch Pannels(NE C)	AiPhone Intercom (Outdoor Stations)	AiPhone Intercom (desk Stations)	AiPhone Central Control Unit	GarrettCom Switch	Firetide MESH Nodes(6020, 7010, 7020)	Code Blue Station	APC Smart-UPS
METRO									
Johns Hopkins						15			1
Shot Tower						11			1
Charles Center						22			1
Lexington Market						20			1
State Center						12			1
Upton						4	4		1
Penn North						20	4		1
Mondawmin						16	4		1
Portal							4		1
West Cold Spring						16	10		1
Rogers Avenue						14	10		1
Reisterstown Plaza						16			1
Milford Mills						3			1
Old Court						12			1
Owings Mills						6			1
Line Vent Shafts & Pumping stations									
Ocala St Line Vent									
Ruskin Ave. Line Vent									
Golds Street Pumping station									
Lafayette St Line Vent									
Monument St Line vent Shaft									
Central Ave Line Vent									
Ashland Ave Line Vent									
LIGHT-RAIL									
Hunt Valley									1
Timonium						1			1
Convention Center Station						6			1
Camden Yards						9			1
Hamburg St.						10			1
Patapsco						6			1
Nursery Road							5		1
Linthicum						4	4	1	1
Cromwell						8			1
North Ave.						7			1
Cultural Center						6			
MARC									
CAMDEN-LINE									
Camden Yards									1
Rockville						6			
Odenton						13			
AMTRAK									
BWI Airport						20			
New Carrollton						6			
MTA Properties									
Bush Bus Yard-(Washington Blvd)	2		4	1		2			1
Eastern Bus Yard			1	1					1
Kirk Bus Yard			2	1					1
North West Bus Yard			2	1					1
North Avenue Light Rail						8			1
Cromwell Light Rail Yard									1
Wabash Yard			2	2		8			1
PMF	1	2	3	4	3				1
OCCMF			1	4					1
OCC			8	6					1
Treasury									0
Vaulting									
McDonough Road									
TOTAL	3	2	23	20	3	307	45	1	36

ATTACHMENT -26- PAGE-5							
FUTURE EQUIPMENT	HSSP Cameras (mixed PTZ and Fixed type)	Access Control CCTV Cameras (mixed PTZ and Fixed type)	HSSP Servers (AR16000, AR32000, 16000R3)	Access Control Servers (AR16000, AR32000)	Aralia Software License and Engineering Support	GarrettCom Switch	APC Smart- UPS
Light-Rail							
Lexington Market	23		2		2	6	1
Center Street	24		2		2	6	1
Westport	20		2		2	2	1
BWI Airport	14		2		2	8	1
Cherry Hill	25		2		2	6	1
Mt. Royal	24		2		2	5	1
Baltimore St.	21		2		2	6	1
AMTRAK/ MARC							
Perryville	12		2		2	6	
Seabrook	41		2		2	20	1
Aberdeen	25		3		3	6	1
Edgewood	21		2		2	6	1
Martin State Airport	16		2		2	6	1
Baltimore Penn Station	75		3		3	24	1
West Baltimore	10		2		2	4	1
Halethorpe	40		2		2	24	1
Bowie State	24		2		2	20	1
College Park	4		2		2	4	1
METRO							
Lexington market		26		1	1	4	
Upton		21		1	1	4	
TOTAL	419	47	36	2	38	167	16

MODE	Pelco CCTV Cameras	Pelco Software(DX Series)	Pelco DVR	Sony CCTV Cameras	Aralia Server Servers (AR16000)	Aralia Software License and Engineering Support	Dell Optiplex 745- Workstation	Dell Monitors(1708)	Weldex CCTV Camera (WDD4905C)
MISCELLANEOUS SYSTEMS									
Bush Bus Division-(Vaulting Lanes)	7	1	1				1	3	
Eastern Bus Division-(Vaulting Lanes)	6	1	1				1	3	
Kirk Bus Division-(Vaulting Lanes)	6	1	1				1	3	
Northwest Bus Division-(Vaulting Lanes)	6	1	1				1	3	
Cromwell - Light -rail Station Parking Lot				12	2	2	1	1	
Transit Store		1					1		6
Revenue Control - Money Room		1					1	3	
Treasury - Director's Office		3							
MTA Police									
TOTAL	25	9	4	12	2	2	7	16	6

ATTACHMENT -26- PAGE-7							
MODE	Hikvision DVR (DS8008HFI / DS8008HFI-S)	Intervid CCTV Camera (DNC- 5400, DND6300, MDC6500)	Intervid- DVR (DSS-5000)	Axis CCTV Camera	Axis- DVR (DSS6000)	Catsite Software(CCTV Monitoring)	Grandeye(Oncam IPC-IP Camera
MISCELLANEOUS SYSTEMS							
Bush Bus Division-(Vaulting Lanes)							
Eastern Bus Division-(Vaulting Lanes)							
Kirk Bus Division-(Vaulting Lanes)							
Northwest Bus Division-(Vaulting Lanes)							
Cromwell - Light -rail Station Parking Lot							
Transit Store	1						
Revenue Control - Money Room		40	2	3	1	2	2
Treasury - Director's Office						3	
MTA Police						2	
TOTAL	1	40	2	3	1	7	2